[Return to the USPTO NPL Page](#) | [Help](#)

Basic

Advanced

Topics

Publications

My Research
0 marked items

Interface language:

English

Databases selected: Multiple databases...

Results – powered by ProQuest® Smart SearchSuggested Topics [About](#)

< Previous | Next >

[Equipment AND Cooling](#)[Industrial equipment AND Cooling](#)8 documents found for: *equipment and room and cooling and layout* >> [Refine Search](#) | [Set Up Alert](#)[All sources](#) | [Trade Publications](#) | [Newspapers](#)☐ Mark all ☐ 0 marked items: Email / Cite / Export☐ Show only full textSort results by: [Most recent first](#)

-
- ☐ 1. **Moore's Law TESTS THE LIMITS OF TECHNOLOGY**
Robert F Sullivan, Ken Brill. Energy & Power Management. Troy: Oct 2005. Vol. 30, Iss. 10; p. 21 (2 pages)
[Text+Graphics](#) [Page Image - PDF](#) [Abstract](#)
-
- ☐ 2. **Tangle-Free Design**
Barbara Horwitz-Bennett. Consulting - Specifying Engineer. Denver: Sep 2005. Vol. 38, Iss. 3; p. 23
[Full text](#) [Abstract](#)
-
- ☐ 3. **Equipment Densities Drive Datacenter Design**
Drew Robb. Business Communications Review. Hinsdale: Jul 2005. Vol. 35, Iss. 7; p. 58 (4 pages)
[Full text](#) [Page Image - PDF](#) [Abstract](#)
-
- ☐ 4. **REO: REO cleans up supplies to screened rooms**
M2 Presswire. Coventry: Mar 13, 2003. p. 1
[Full text](#) [Abstract](#)
-
- ☐ 5. **Accommodating data**
James M Bannon. Consulting - Specifying Engineer. Denver: Jul 2000. Vol. 28, Iss. 1; p. 40 (4 pages)
[Text+Graphics](#) [Page Image - PDF](#) [Abstract](#)
-
- ☐ 6. **Empty nesters rearrange space**
Lyon Marcia. Des Moines Register. Des Moines, Iowa: May 7, 1999. p. 3
[Citation](#)
-
- ☐ 7. **Dark Days in Data Centers**
Rauen, Christopher. Computer Decisions. Teaneck: Mar 23, 1987. Vol. 19, Iss. 6; p. 77 (2 pages)
[Abstract](#)
-
- ☐ 8. **Designing a Secure Computer Room**
Kazalis, James. Security Management. Arlington: May 1986. Vol. 30, Iss. 5; p. 83 (3 pages)
[Abstract](#)
-

1-8 of 8

Want to be notified of new results for this search? [Set Up Alert](#)

Results per page: 30

Did you find what you're looking for? If not, [refine your search](#) below or try these suggestions.Suggested Topics [About](#)

< Previous | Next >

[Equipment AND Cooling](#)[Industrial equipment AND Cooling](#)


Basic Search

Tools: [Search Tips](#) [Browse Topics](#) [1 Recent Searches](#)

Search

Clear

Database: [Select multiple databases](#)Date range: Limit results to: ☐ Full text documents only☐ Scholarly journals, including peer-reviewed [About](#)[More Search Options](#)Copyright © 2006 ProQuest Information and Learning Company. All rights reserved. [Terms and Conditions](#)[Text-only interface](#)

[Return to the USPTO NPL Page](#) | [Help](#)

Basic

Advanced

Topics

Publications

✓ My Research

0 marked items

Interface language:

English

Databases selected: Multiple databases...

Results – powered by ProQuest® Smart SearchSuggested Topics [About](#)

< Previous | Next >

[Computer centers AND Cooling](#)5 documents found for: *data center and room and cooling and layout* >> [Refine Search](#) | [Set Up Alert](#)[All sources](#) | [Trade Publications](#) | [Dissertations](#)☐ Mark all 0 marked items: Email / Cite / Export [Show only full text](#)Sort results by: [Most recent first](#)


-
- ☐ 1. **[Tangle-Free Design](#)**
Barbara Horwitz-Bennett. Consulting - Specifying Engineer. Denver: Sep 2005. Vol. 38, Iss. 3; p. 23
 [Full text](#) [Abstract](#)
-
- ☐ 2. **[Equipment Densities Drive Datacenter Design](#)**
Drew Robb. Business Communications Review. Hinsdale: Jul 2005. Vol. 35, Iss. 7; p. 58 (4 pages)
 [Full text](#) [Page Image - PDF](#) [Abstract](#)
-
- ☐ 3. **[A hybrid methodology for the optimization of data center room layout](#)**
by Guggari, Shrishail, M.S.M.E., The University of Texas at Arlington, 2003, 66 pages; AAT 1416829
 [Abstract](#) [24 Page Preview](#) [Page Image - PDF](#) [Order a copy](#)
-
- ☐ 4. **[Accommodating data](#)**
James M Bannon. Consulting - Specifying Engineer. Denver: Jul 2000. Vol. 28, Iss. 1; p. 40 (4 pages)
 [Text+Graphics](#) [Page Image - PDF](#) [Abstract](#)
-
- ☐ 5. **[Dark Days in Data Centers](#)**
Rauen, Christopher. Computer Decisions. Teaneck: Mar 23, 1987. Vol. 19, Iss. 6; p. 77 (2 pages)
 [Abstract](#)
-

1-5 of 5

Want to be notified of new results for this search? [Set Up Alert](#)Results per page: [30](#)Did you find what you're looking for? If not, [refine your search](#) below or try these suggestions.Suggested Topics [About](#)

< Previous | Next >

[Computer centers AND Cooling](#)

Basic SearchTools: [Search Tips](#) [Browse Topics](#) [3 Recent Searches](#)Database: [Select multiple databases](#)Date range: Limit results to: ☐ Full text documents only ☐ Scholarly journals, including peer-reviewed  [About](#) [^ Hide options](#)Publication title: [Browse publications](#) [About](#)Author: [About](#)Look for terms in: [About](#)Document Type: Publication type: Exclude from results: ☐ Book Reviews☐ NewspapersSort results by: Copyright © 2006 ProQuest Information and Learning Company. All rights reserved. [Terms and Conditions](#)[Text-only interface](#)

[Sign in](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) ^{New!} [more »](#)

data center and room and cooling and layout

Search

[Advanced Search](#)
[Preferences](#)The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)**Web**Results 1 - 10 of about **645,000** for **data center and room and cooling and layout**. (0.25 seconds)**Data Center Planning**[www.relres.com](#) Planning & Design Services IT/Mission Critical Infrastructure**Koldlok Floor Grommets**[www.dataclean.com](#) Improve cold air delivery and eliminate hot spots.**ABR Customer List**two new **data centers** in Santa Clara, CA and Austin, TX California Energy Corporation Design equipment **layout** for new computer **room**. ...[www.abrconsulting.com/cust.htm](#) - 21k - [Cached](#) - [Similar pages](#)**Computer Room Design-Data Center Relocation.****Communications ...**Over 80 **data center/server rooms** relocated. 17 years in business, 30 years in the ... computer **room** equipment **layouts** and power and **cooling** profiles for the ...[www.abrconsulting.com/](#) - 17k - [Cached](#) - [Similar pages](#)**[PDF] POWER AND COOLING IN THE DATA CENTER**File Format: PDF/Adobe Acrobat - [View as HTML](#)Today's **data center** isn't merely a **room** built to house ... low P-state until **cooling** can be restored. Cool-aisle/hot-aisle **layouts** have proven to be highly ...[i.l.com.com/cnwk.1d/html/itp/AMD_Power_Cooling_WP.pdf](#) - [Similar pages](#)**[PDF] Avoidable Mistakes that Compromise Cooling Performance in Data ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)**Cooling** Performance. in **Data Centers** and. Network Rooms. White Paper #49 ... Proper **layout** of racks in a **room** is a critical part of ensuring that air of the ...[www.apcmedia.com/salestools/SADE-5TNRKG_R0_EN.pdf](#) - [Similar pages](#)**Addressing power and thermal challenges in the data center**For new **data centers**, establish a master plan based on usage: Different usage models require different **layout** and capacities to enable optimized **cooling**. ...[searchdatacenter.techtarget.com/tip/1,289483,sid80_gci1133485,00.html](#) - 58k -[Cached](#) - [Similar pages](#)**[PDF] 1290342 Optimized Data New.qxd**File Format: PDF/Adobe Acrobat - [View as HTML](#)Space and **layout**. • Cable management. • Power. • **Cooling**. Figure 1. ... Ensuring that there is **room** to expand the **data center** if it outgrows its current ...[www.adc.com/Library/Literature/1290342.pdf](#) - [Similar pages](#)**[PDF] TUI 772_Cooling Issues #81.indd**

File Format: PDF/Adobe Acrobat

Cooling Issues Prevent. **Data Centers** from Meeting ... of equipment rows to the **cooling** units in the. **room**. ("Legacy" **layout** of equipment cabinets, ...[www.upsite.com/file_downloads/PDF/Cooling_Issues_WP.pdf](#) - [Similar pages](#)**[PDF] TUI 708 WP hot_cold_aisle**

Sponsored Links

Sponsored Links

Server Rack CoolingServer Rack **Cooling** up to 22kW

More information online!

[www.thermal-management.info/](#)**Data Center Designs**Move or Expand your **Data Centers**-

Compare Firms that Build & Design.

[www.DataCenterDesigns.com](#)**Data center layout**Find **Data center layout**

at Webled - fast and free resource.

[www.Webled.com](#)**Data Center Layout**

Tips and information about

Data Center Layout online.[BusinessChambers.com](#)**Data Center Design**

Find Solutions for Your Business

Free Reports, Info. & Registration

[www.KnowledgeStorm.com](#)**Data Center Information**

Articles & Information about

Data Center - free resource.[BambooWeb.com](#)

File Format: PDF/Adobe Acrobat

discharge which returns to the computer-room. **cooling** unit. Therefore, no perforated tiles should ... improving uptime effectiveness in **data center** ...

www.openextra.co.uk/articles/AlternColdnew.pdf - [Similar pages](#)

Keeping Computer Rooms Cool : Industrial Market Trends

Third, because of the **layout** of CRAHs, underfloor air plumes can blend together, ...

Source: **Data Center Cooling** Edward C. Koplin, PE ASHRAE Journal, Mar. ...

news.thomasnet.com/IMT/archives/2003/04/keeping_compute.html - 27k -

[Cached](#) - [Similar pages](#)

[PDF] Thermal Considerations in Cooling Large Scale High Compute Density ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)


can lead to imbalance in **cooling** loads on computer room air ... **layout**. For the large-scale **data center** configurations in Figs. 7 ...

www.hpl.hp.com/research/papers/2002/thermal_may02.pdf - [Similar pages](#)

Try your search again on [Google Book Search](#)

Google

Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)



Free! Instantly find your email, files, media and web history. [Download now.](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)
[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) ^{New!} [more »](#)
 [Advanced Search](#)
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web

Results 1 - 10 of about **431,000** for **data center and room and cooling and layout and cells**. (0.21 seconds)

[PDF] [Thermal Considerations in Cooling Large Scale High Compute Density ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

can lead to imbalance in **cooling** loads on computer **room** air ... **layout**. For the large-scale **data center** configurations in Figs. 7 ...

www.hpl.hp.com/research/papers/2002/thermal_may02.pdf - [Similar pages](#)

[PDF] [Balance of Power: Dynamic Thermal Management for Internet Data Centers](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Computer **Room** Air Conditioning (CRAC) units, located along each wall, provide the **cooling** to the **data center**. The domain is discretized into 434000 cells; ...

www.hpl.hp.com/techreports/2003/HPL-2003-5.pdf - [Similar pages](#)

[[More results from www.hpl.hp.com](#)]

[T-Mobile new HQ](#)

Data centre strategy and design of main server **room** including; security, sizing clarification, detailed cabinet **layout**, power and **cooling** needs, ...

www.fabernaunsell.com/MarketsAndServices/39/49/index.jsp - 38k -

[Cached](#) - [Similar pages](#)

[PDF] [21 st Century Data Centers](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

decided up front in the overall **layout** of the **Data Center**. Efficient allocation of space is a major ... Even with computer **room cooling** and a fan at the top ...

[www.anixter.com/AXECOM/AXEDocLib.nsf/\(UnID\)/EA19AC958DF937E180256F100056C2B3/\\$file/data_center_whitepaper.pdf](http://www.anixter.com/AXECOM/AXEDocLib.nsf/(UnID)/EA19AC958DF937E180256F100056C2B3/$file/data_center_whitepaper.pdf) -

[Similar pages](#)

[Balance of Power: Dynamic Thermal Management for Internet Data Centers](#)

Figure 1 shows a typical small PDC with a standard **cooling layout** based on ... **Data center cooling** designs are currently guided by simplistic rules rather ...

doi.ieeeecomputersociety.org/10.1109/MIC.2005.10 - [Similar pages](#)

[2003_August_a2](#)

This **layout** allows the chilled air to wash the fronts of the **data** processing ... **Cooling** air can be supplied from the ceiling in the **center** of the **room**, ...

www.electronics-cooling.com/html/2003_august_a2.html - 35k - [Cached](#) - [Similar pages](#)

[EE's Vision Drives Millions In Data-Center Power Savings](#)

It also showcased some great new APC technology, including fuel cells for **data centers** and a mobile **data center** in a tractor-trailer. ...

www.elecdesign.com/Articles/ArticleID/10678/10678.html - [Similar pages](#)

[APC White Papers](#)

Equipment with side-to-side airflow presents special **cooling** challenges in the modern **data center**. Common rack enclosures and rack **layouts** are fundamentally ...

sturgeon.apcc.com/whitepapers.nsf/WhitePapers?OpenForm&

Sponsored Links

[Koldlok Floor Grommets](#)

Improve cold air delivery and eliminate hot spots.

www.dataclean.com

[Data Center Designs](#)

Move or Expand your **Data Centers**- Compare Firms that Build & Design.

www.DataCenterDesigns.com

[Data center layout](#)

Info **Data center layout** from several different companies.

www.Webled.com

[Data Center Layout](#)

Tips and information about

Data Center Layout online.

BusinessChambers.com

RestrictToCategory=Datacenters/Facilities - 78k - [Cached](#) - [Similar pages](#)

[PDF] [Computer and telecommunications equipment room cooling: a review ...](#)

File Format: PDF/Adobe Acrobat

for **layout** of perforated tiles in raised floor type computer **rooms**. is illustrated in [77], ...

cooling required for a computer **data center** and the rest ...

ieeexplore.ieee.org/iel5/6144/27079/01202907.pdf?arnumber=1202907 - [Similar pages](#)

[The Impact of Emerging Technologies: From the Lab: Information ...](#)

Methods and Results: When temperature in a **data center** isn't uniform, energy is wasted


cooling the entire **room** just to keep machines in hot spots from ...

www.technologyreview.com/InfoTech/wtr_14595,258,p2.html?PM=GO - [Similar pages](#)

Try your search again on [Google Book Search](#)

Google

Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)



Free! Instantly find your email, files, media and web history. [Download now.](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)
[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#)^{New!} [more »](#)
 [Advanced Search](#)
[Preferences](#)

The "AND" operator is unnecessary ... we include all search terms by default. [\[details\]](#)

WebResults 11 - 20 of about **431,000** for **data center and room and cooling and layout and cells**. (0.09 seconds)

[PDF] [Raised Floor Computer Data Center: Effect on Rack Inlet ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

some guidance on the design and **layout** of a **data center**. INTRODUCTION ... Quivey, B., and Bailey, AM, "Cooling of Large Computer Rooms - Design and ...

www.flomerics.com/flotherm/technical_papers/t305.pdf - [Similar pages](#)

[PDF] [DIMENSIONLESS PARAMETERS FOR ENERGY-EFFICIENT DATA CENTER DESIGN](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Typical Under Floor Air Cooling **Data Center**. Configuration with **Room Return**. Vent Tiles ... Base Case **layout** for **room return** infrastructure. Methodology ...

www.flomerics.com/industries/atw-presentation.pdf - [Similar pages](#)

[IBM JRD 49-4/5 | Challenges of data center thermal management](#)

Cooling air can be supplied from the ceiling in the **center** of the **room**, ... The design and **layout** of **data centers** and their **cooling** infrastructure are ...

www.research.ibm.com/journal/rd/494/schmidt.html - 99k - [Cached](#) - [Similar pages](#)

[EE's Vision Drives Millions In Data-Center Power Savings](#)

Rasmussen's current focus is on **data centers**, where he sees a serious lack of scientific planning for efficient **cooling** systems, and hence, a tremendous ...

www.elecdesign.com/Articles/ArticleID/10678/ehg.hitbox.com - [Similar pages](#)

[[More results from www.elecdesign.com](#)]

[Data Centers : Facilities : High-Performance Buildings for High ...](#)

Home > Facilities > **Data Centers** > Bibliography ... **Cooling** design considerations by virtue of proper **layout** of racks can yield substantial savings in ...

hightech.lbl.gov/dc-bibliography.html - 109k - [Cached](#) - [Similar pages](#)

[Under-Floor Cabling Strategies Rise to the Challenge](#)

... --Connectors and Splices, --**Data Center/SAN Solutions** ... The zone cabling **layout** was designed to support the maximum capacity of the floor above it. ...

[www.ampnetconnect.com/displaydocument.asp?](http://www.ampnetconnect.com/displaydocument.asp?iDocID=1604&iDocLinkID=209&iDocLinkType=html)

[iDocID=1604&iDocLinkID=209&iDocLinkType=html](http://www.ampnetconnect.com/displaydocument.asp?iDocID=1604&iDocLinkID=209&iDocLinkType=html) - 38k - [Cached](#) - [Similar pages](#)

[Critical Facilities: Chilling Out High-Density Server Farms](#)

We identified the shortcomings of traditional **data center cooling** systems and ... as soon as one **cooling** unit fails, because of the **layout** of the **room**, ...

www.syska.com/critical/knowledge/ask/highdensity.asp - 29k - [Cached](#) - [Similar pages](#)

[Welcome to IEEE Xplore 2.0: Computer and telecommunications ...](#)

Computer and telecommunications equipment **room cooling**: a review of literature ... 79, RR Schmidt, "Effect of **data center** characteristics on **data processing** ...

ieeexplore.ieee.org/xpls/abs_all.jsp?arnumber=1202907 - [Similar pages](#)

[ELEC-2002 - Electronics in HEP](#)

Event selection and **data** acquisition in modern high energy physics experiments: challenges and solutions. (Livio Mapelli, 5 February, **room 40-S2-A01**) ...

Sponsored Links

[Koldlok Floor Grommets](#)

Improve cold air delivery and eliminate hot spots.

www.dataclean.com

[Data Center Designs](#)

Move or Expand your **Data Centers**- Compare Firms that Build & Design.

www.DataCenterDesigns.com

[Data center layout](#)

Search **Data center layout**

at Webled - fast and free resource. www.Webled.com

[Data Center Layout Info](#)

Articles, Tips, and Information on

Data Center Layout - free advice.

BusinessChambers.com

www.cern.ch/TechnicalTraining/special/ELEC2002.asp - 38k - [Cached](#) - [Similar pages](#)

[Data center design: Featured Topics: ExpertAnswerCenter.com](#)

Despite the experience we have daily with cell phone dead zones, RF tends to find its way ... "Heat containment **rooms**" are areas within your **data center**. ...

expertanswercenter.techtarget.com/eac/blog/0,295203,sid63_tax302039,00.html - 158k -

[Cached](#) - [Similar pages](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)
[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#)^{New!} [more »](#)
 [Advanced Search](#)
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web

Results **21 - 30** of about **431,000** for **data center and room and cooling and layout and cells**. (0.11 seconds)

[PDF] [Energy Smart Data Centers: Applying Energy Efficient Design and ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

ambient **room** temperatures to be set higher, further reducing conventional HVAC loads in the **data center**. Sanmina claims **cooling** energy ...

www.earthscape.org/r1/ES16315/data_centers_report.pdf - [Similar pages](#)

[Hardware Today: Caring for Your Cables](#)

"It is advisable to plan upfront so you have enough **room** for all the cabling ... A good model for **data center layout**, which includes some of the basics of ...

www.serverwatch.com/hreviews/article.php/3491651 - 44k - [Cached](#) - [Similar pages](#)

[Red Wheeler Associates - Virtual Servers - Reliable High Quality ...](#)

Security was one of the first factors considered in the design of the **data center** building and it's **layout**. The building has only a single customer and ...

sitehost.redwheeler.com/server_building_security.htm - 13k - [Cached](#) - [Similar pages](#)

[PDF] [Layout 1](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

For example, we employ steady-state **cells** to measure performance and ... Use of time and frequency domain techniques (simulation and/or **data analysis**) ...

www.cat.com/cda/files/182590/7/EST&S%20Brochure.pdf - [Similar pages](#)

[PDF] [ibmr-49-04-19 709..723](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

centers and telecommunications **rooms**. Since many of the **data center** thermal management issues ... The design and **layout** of **data centers** and their **cooling** ...

www.research.ibm.com/journal/rd/494/schmidt.pdf - [Similar pages](#)

[PDF] [Garry W. Dietrich 3339 Bonnie Bay Road Stevens Point, Wisconsin ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

structure's **cooling** towers. The fourth **cell** was not rebuilt after ... VESDA systems for the **data center**, as well as water detection rope systems. ...

www.eiu.edu/~busaff/fpmdir/pdfs/Dietrich.pdf - [Similar pages](#)

[PDF] [data center layout/d6 \(Page 1\)](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Data Center. The first thing a. power surge hits. is your bottom line. ... selenium **cell** as a rectifier to achieve opti-. mum surge protection. ...

https://currenttechnology.com/docs/ct_datacenter_vm.pdf - [Similar pages](#)

[PDF] [5/24/2004 1 Accelerator Systems Division Highlights Ending May 21 ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

The magnet **cooling** water interlock (to be computed in the QMCS RCCS) will be installed ... Prepared the necessary **data** for the **layout** of the quarter **cells**. ...

www.sns.gov/projectinfo/asd/weeklyreports/ASD_weekly_report_052104.pdf -

[Similar pages](#)

[PDF] [Stability Evaluation of the 1 GeV Electron Beam by a Particle ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Sponsored Links

[Koldlok Floor Grommets](#)

Improve cold air delivery and eliminate hot spots.

www.dataclean.com

[Data Center Designs](#)

Move or Expand your **Data Centers**- Compare Firms that Build & Design.

www.DataCenterDesigns.com

[Data center layout](#)

Search **Data center layout** at Webled - fast and free resource.

www.Webled.com

[Data Center Layout](#)

Tips and information about

Data Center Layout online.

BusinessChambers.com

outside factors, the **cooling** water temperature and the. environmental temperature were measured. ... **data** of the beam current and **center** energy at the LSBT. ...
www.spring8.or.jp/e/publication/ann_rep/AR98PDF/P113-115.pdf - [Similar pages](#)

Center for Materials Technology

These new QC lasers can operate without cryogenic **cooling** at near-room ... EXE for controlling the instrument and for performing **data** acquisition and ...
www.aerodyne.com/products/Quantumlaser.htm - 22k - [Cached](#) - [Similar pages](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [Next](#)

data center and room and cooling ar

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google